



# "Stile THE LUXE I Signature Collection Experience the Royal Touch of Platinum Black

Transform your space into a realm of luxury and be bold with Black. Introducing THE LUXE, Signature Collection – a perfect fusion of sophistication and contemporary design. With their sleek, semi-matt finish and deep, rich color, these tiles exude an undeniable charm that captivates the senses. Crafted with precision, these tiles feature pearl white and caramel veins, making them a versatile option for various wall and floor design aesthetics, ideal for both residential and commercial spaces.



# Benefits of Using THE LUXE I Signature Collection



These tiles are renowned to be Pakistan's Only Real Full Body Porcelain tile. As it has less than 0.5% water absorption, this improves strength and durability.



Firing at higher temperatures and using more refined clay creates denser porcelain tiles, which if installed correctly ensures durability for decades.



Owing to the non-porous nature of this tile, they are resistant to stains and fading.



Having low water propensity, these tiles are easy to maintain.



It is resistant to household chemicals thus it maintains its color, design and surface finish for a longer time.



The installation of these tiles is ideal, easy and hassle-free.

### Lapato Polish:

Lapato Polish tiles have a softly polished finish, featuring a higher shine than matt tiles but a gentler finish than a traditional polished porcelain tile. It is a perfect balance between a matt and polished tile. Tiles with this finish tend to be more slip resistant than fully polished porcelain tiles. Can be used on both Wall and Floor.


### **Stile Recommends:**

Living Room, Bedroom, Bathrooms, Feature Walls, Lobbies of Luxurious Apartments and Commercial Buildings, Shopping Malls, Recreational Clubs, High-End Offices, Designer Retail Outlets, Premium Restaurants and High-End Banquets.

For best results, use Stile Bond and Stile Grout.








### **ELT-SC-LPS-LP-003 I BLACK PEARL**

SURFACE FINISH I LAPATO POLISH

RANDOM, 24X48 INCHES, 60X120 CM FULL BODY GLAZE PORCELAIN








### **ELT-SC-LPS-LP-004 I BLACK QUARTZ**

SURFACE FINISH I LAPATO POLISH

RANDOM, 24X48 INCHES, 60X120 CM FULL BODY GLAZE PORCELAIN







# ELT-SC-LPS-LP-005 I BLACK CARAMEL

SURFACE FINISH I LAPATO POLISH

RANDOM, 24X48 INCHES, 60X120 CM FULL BODY GLAZE PORCELAIN

# DESIGN magaide











SURFACE FINISH I LAPATO POLISH 24X48 INCHES, 60X120 CM







### **TECHNICAL CHARACTERISTICS | Porcelain Tiles, ISO 13006 Group B1a – Rectified Tiles**

S. No.		Technical Characteristics	Test Standard	Tolerance as per ISO norms	Special Finish Lapato Polish
DIMENSION AND SURFACE QUALITY					
1	7	Dimension (Deviation in percentage from work size length and width)	ISO 10545-2	± 0.6 %	± 0.2 %
2		Thickness (Deviation in Percentage)	ISO 10545-2	± 5 %	± 3 %
3		Straightness of Sides (Maximum Deviation Percentage)	ISO 10545-2	± 0.5 %	± 0.2 %
4		Rectangularity (Maximum Deviation Percentage)	ISO 10545-2	± 0.6 %	± 0.2 %
5	7	Surface Flatness	ISO 10545-2	± 0.5 %	± 0.2 %
6	回	Surface Quality	ISO 10545-2	95% of tiles should be free from visible defects	Complied
PHYSICAL PROPERTIES					
7		Water Absorption %	ISO 10545-3	< 0.5 %	< 0.5 %
8	$\stackrel{\downarrow}{\uparrow\uparrow}$	Modulus of Rupture	ISO 10545-4	Avg. of 7 Tiles 35 N/mm <sup>2</sup>	Avg. of 7 Tiles 35 N/mm²
9	<u>.</u>	Breaking Strength	ISO 10545-4	> 1300 N	> 2000 N
10	[-	Resistance to Surface Abrasion	ISO 10545-7	I – V	IV
11	3.	Thermal Shock Resistance	ISO 10545-9	Required	Resistant
12		Crazing Resistance	ISO 10545-11	No Crazing	No Crazing
13	*	Frost Resistance	ISO 10545-12	Required	Resistant
CHEMICAL PROPERTIES					
14	<b>8</b>	Resistance to Household Chemical*	ISO 10545-13	Min. Class-B	Class-A
15	<u>!</u>	Resistance to Staining**	ISO 10545-14	Min. Class-3	Class-5

#### Note:

It is recommended that several cartons be opened and their contents checked and assembled to see the ideal color combination.

Please inspect all tiles prior to installation, company will not entertain complaints once tiles are laid/fixed.

#### Disclaimer:

These images are merely a representation of the actual product. We do not guarantee an exact colour match of the image to the actual product. There may be a difference in colour, shade and tone of the image with the actual product.

<sup>\*</sup>Household Chemicals: Ammonium Chloride, Sodium Hypochlorite, Hydrochloric acid, Citric acid, Lactic acid, Potassium Hydroxide

<sup>\*\*</sup>Household Stains: Green Stain in light oil, Iodine Alcoholic solution, Olive oil

# Available throughout Pakistan at our Stile Emporium & Design Studios





Stile ToolBook



Catalogs



Stile Tile Visualiser



Stile Tile Calculator



Instagram



Tile Installation Instructions



**Store Locations** 

# STILE EMPORIUM

- Design Studio
   Wall & Floor Tiles
   Building Materials

- ●Karachi ●Hyderabad ●Sukkur ●Rahim Yar Khan ●Bahawalpur ●D.G. Khan ●Multan

- Faisalabad
- ●Lahore ●Gujranwala ●Rawalpindi ●Islamabad ●Wah Cantt ●Peshawar ●Gilgit

©+92-311-11STILE [78453] ⊕www.stile.com.pk 
info@stile.com.pk

/stiletilesceramic

**⅓**/ShabbirStile

☐ tiledesigner.stile.com.pk